



使用成果

搜尋 orlistat



選第二個檢索方式



選擇右邊的年限，精化檢索結果，以下為 2008 年的檢索結果，有 231 筆

SciFinder - Reference Answer Set - Windows Internet Explorer

https://scifinder.cas.org/scifinder/view/scifinder/scifinderExplore.jsf

Google Orlistat

SciFinder®

Welcome eva sung | Sign Out

Add KMP Alert Research Topic "orlistat" > references (2532)

References Get Substances Get Reactions Get Related Tools Send to SciPlanner

2532 References 0 Selected

231 references with the Publication Years 2008 are displayed

Select All Deselect All Sort by: Accession Number

38. Method and composition of a medicament to decrease the adverse events of orlistat, an oral lipase inhibitor

By Thompson, Ronald J.

From U.S. Pat. Appl. Publ. (2008), US 20080070977 A1 20080320, Language: English, Database: CAPLUS

A medicament to decrease the adverse events of orlistat, an oral lipase inhibitor, arranged in combination with orlistat, comprising: an emulsifier, a bowel relaxant and one or more chelating agents to absorb and mech. agitate non-digested fats.

Substances Reactions ~1 Citing Full Text Link 0 Comments 0 Tags

244. Reverse phase high performance liquid chromatographic determination of orlistat pellets 50.0%

By Rao, M. V. Basavasevaraj Reddy, B. C. K.; Rao, T. Srinivas; Muralidhar, P.

From Rasayan Journal of Chemistry (2008), 1(3), 636-638, Language: English, Database: CAPLUS

A Simple and precise reverse phase high performance liq. chromatog. method has been developed for the detn. of Orlistat pellets 50.0%. A Inertsil ODS 3V (5 µ, 25 × 4.6 mm) column, in isocratic mode, with methanol, acetonitrile and trifluoroacetic acid (82.5:17.5:0.01) as mobile phase. The flow rate is 1 mL/min and effluent is monitored at 210 nm.

Substances Reactions ~1 Citing Full Text Link 0 Comments 0 Tags

245. Effect of the orlistat on serum endotoxin lipopolysaccharide and adipocytokines in South Asian individuals with impaired glucose tolerance

By Dixon, A. N.; Valsamakis, G.; Hanif, M. W.; Field, A.; Boutsades, A.; Harle, A.; McTernan, P. G.; Barnett, A. H.; Kumar, S.

Analysis Refine

Analyze by: Publication Year

Click bar to view only those references within the current answer set

Year	Count
2010	261
2008	231
2006	211
2005	209
2007	207
2009	206
2004	181
2011	173

點進去看詳細資料

SciFinder - An improved pro... - Windows Internet Explorer

https://scifinder.cas.org/scifinder/view/scifinder/scifinderExplore.jsf

Google Orlistat

SciFinder - An improved pro...

218 references with the Publication Years 2008 are displayed

Return

364. An improved process for the preparation of orlistat using pivaloyl formic anhydride as an alkanoylating agent

By: Bapuso, Patil Dattatray; Patel, Kilol; Prasad, Ashok; Deo, Keshav; Prasad, Mohan

Assignee: Ranbaxy Laboratories Limited, India

An improved process for prep. orlistat, I, from amino orlistat using pivaloyl formic anhydride (PFA) as an alkanoylating agent is presented. The PFA alkanoylating agent is prep. by reacting formic acid with pivaloyl chloride in the temp. range of 0° to -20° for 30 min to 3 h. For purfn. of orlistat, the recrystn. uses an aliph. hydrocarbon solvent such as hexane, pentane, heptane, or cyclohexane.

Chemical structure of Orlistat (I) is shown.

Patent Information

Dec 11, 2008

WO 2008149321

A2

Application

Jun 6, 2008

WO 2008-IB52242

Priority

Jun 6, 2007

IN 2007-DE1223

Jun 6, 2008

WO 2008-IB52242

Source

PCT Int. Appl.


9pp.

Patent


2008

CODEN: PDXDX2

還可以設定 export 的內容



用 sciplanner 可將多筆資料合併在一起



學習心得

人數限制只有兩個人有點麻煩，不過還好還是登的進去，使用上我覺得 scifinder 好用多了，還可以畫化學結構式檢索，資料也很豐富，做研究常需要用到，尤其是化學、藥化，是化學權威的資料庫，所以研究生和老師也常用，而且還可以直接在上面編輯輸出，真的很方便。平常都習慣用 google 可是查到的資訊少而且有些可信度都不知道有多少，現在有了這麼好又有權威的資料庫，以後做報告就更容易了，三個小時的課程，不用到外面花錢學，學到這麼有用的檢索真的很值得，謝謝老師這麼用心還請外面的老師來為我們講解跟示範。